

# INDEX MAPS.

**T. 15 N. R. 9 E. 2<sup>nd</sup> Mer.**

|     |     |     |     |     |     |     |     |     |     |     |     |     |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
|     | 328 |     | 328 |     | 328 |     | 327 |     | 327 |     | 327 |     |
| 330 | 6   | 351 | 5   | 347 | 4   | 343 | 3   | 339 | 2   | 335 | 1   | 326 |
|     | 353 |     | 350 |     | 346 |     | 342 |     | 338 |     | 334 |     |
| 330 | 7   | 350 | 8   | 346 | 9   | 342 | 10  | 338 | 11  | 334 | 12  | 326 |
|     | 352 |     | 350 |     | 345 |     | 341 |     | 337 |     | 333 |     |
| 330 | 18  | 349 | 17  | 345 | 16  | 341 | 15  | 337 | 14  | 333 | 13  | 326 |
|     | 352 |     | 349 |     | 345 |     | 341 |     | 337 |     | 333 |     |
| 329 | 19  | 348 | 20  | 344 | 21  | 340 | 22  | 336 | 23  | 332 | 24  | 325 |
|     | 352 |     | 348 |     | 344 |     | 340 |     | 336 |     | 332 |     |
| 329 | 30  | 348 | 29  | 344 | 28  | 340 | 27  | 336 | 26  | 332 | 25  | 325 |
|     | 351 |     | 347 |     | 343 |     | 339 |     | 335 |     | 331 |     |
| 329 | 31  | 347 | 32  | 343 | 33  | 339 | 34  | 335 | 35  | 331 | 36  | 325 |
|     | 324 |     | 324 |     | 324 |     | 323 |     | 323 |     | 323 |     |

**T. 16 N. R. 9 E. 2<sup>nd</sup> Mer.**

|     |     |     |     |     |     |     |     |     |     |     |     |     |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| 360 | 6   | 386 | 5   | 380 | 4   | 375 | 3   | 370 | 2   | 366 | 1   | 358 |
|     | 385 |     | 385 |     | 379 |     | 375 |     | 370 |     | 365 |     |
| 360 | 7   | 385 | 8   | 379 | 9   | 375 | 10  | 370 | 11  | 365 | 12  | 358 |
|     | 384 |     | 384 |     | 379 |     | 374 |     | 369 |     | 364 |     |
| 360 | 18  | 384 | 17  | 378 | 16  | 374 | 15  | 369 | 14  | 364 | 13  | 358 |
|     | 383 |     | 383 |     | 378 |     | 373 |     | 368 |     | 363 |     |
| 359 | 19  | 382 | 20  | 378 | 21  | 373 | 22  | 368 | 23  | 363 | 24  | 357 |
|     | 382 |     | 382 |     | 378 |     | 372 |     | 367 |     | 362 |     |
| 359 | 30  | 381 | 29  | 377 | 28  | 372 | 27  | 367 | 26  | 362 | 25  | 357 |
|     | 381 |     | 381 |     | 376 |     | 371 |     | 366 |     | 361 |     |
| 359 | 31  | 380 | 32  | 376 | 33  | 371 | 34  | 366 | 35  | 361 | 36  | 357 |
|     | 356 |     | 356 |     | 356 |     | 355 |     | 355 |     | 355 |     |

The figures on the lines refer to the page.

Township N. 15. North, Range N. 9 East T. Mer. Indiana 323  
ch<sup>l</sup>l<sup>l</sup>y

South Boundary.

var 6° 45' E.

Nest On S. boundary of Sec. 36

24.20 a Hickory 18 in. dia.

40.00 Let of Sec. post, from which  
an Ash 21 in. dia. bray S 7 E 14 Ch. dist. of  
a Beech 12 " " " N 28 E 31 " "

66.68 a do. 14 " "

80.00 Let post, Cor. to Sec. 35 of 36, from which  
a Sugar 20 in. dia. bray S 50 E 41 Ch. dist. of  
a Beech 7 " " " N 32 W 18 " "  
Land level 2<sup>nd</sup> rate Beech, Sugar, ash, Hickory  
Oak, Cherry &c. underg<sup>g</sup> Spruce &c.

---

Nest On S. boundary of Sec. 35

14.24 a Beech 24 in. dia.

40.00 Let of Sec. post, from which  
a Beech 22 in. dia. bray S 23 W 7 Ch. dist. of  
a Buckeye " " " N 43 W 31 " "

52.49 a Blue Ash 20 " "

80.00 Let post Cor. to Sec. 34 of 35, from which  
an Ash 25 in. dia. bray S 62 E 3 Ch. dist. of  
a Beech 10 " " " N 10 W 30 " "  
Level with hand, Oak, Elm, Oak, Hickory  
Lynx &c. underg<sup>g</sup> Spruce & Poplar

---

Nest On S. boundary of Sec. 34.

6.58 a Blue Oak 33 in. dia.

27.00 a Branch 10 Ch. wide C. S. N.

40.00 Let of Sec. post, from which  
a Beech 14 in. dia. bray N 42 E 12 Ch. dist. of  
a do. 6 " " " N 49 W 08 " "

54.00 a Creek 70 Ch. wide C. S. S.

71.38 a Blue Ash 50 Ch. dia.

80.00 Let post, Cor. to Sec. 33 of 34, from which  
an Ash 16 in. dia. bray S 56 W 6 Ch. dist. of  
a do. 18 " " " N 14 E 22 " "

324 T5 N 19 E. 2<sup>d</sup>. Mer. Indiana

ch. 1/2

Good farming land Sugar, Beech, Elm, Ash  
Walnut, Hackberry &c. and 1/2<sup>d</sup> Spruce & Pawpaw.

---

Nest On S. boundary of Sec. 33

7.69 a Walnut 30 in. dia.

40.00 At gr. Sec. post, from which  
a Beech 8 in. dia. bray S 40 E 17 1/2 in. dist. of  
a Do. 9 " " " Nest 24 " "

50.75 a Walnut 21 " "

80.00 At post Cor. to Sec. 32 & 33, from which  
a Beech 9 in. dia. bray N 15 E 04 1/2 in. dist. of  
an Ash. 9 " " " S 51 N 8 " "  
Land timber &c. Same as on the last mile

---

Nest On S. boundary of Sec. 32

18.78 a Poplar 18 in. dia.

40.00 At gr. Sec. post, from which  
a Buckeye 8 in. dia. bray S 53 E 14 1/2 in. dist. of  
a Sugar 25 " " " S 81 E 23 " "

57.40 a Beech 42 " "

80.00 At post Cor. to Sec. 31 & 32, from which  
a Beech 18 in. dia. bray N 22 E 12 1/2 in. dist. of  
a Do. 6 " " " S 58 E 8 " "  
Land timber &c. Same as on last mile

---

Nest On S. boundary of Sec. 31

9.40 a Beech 27 in. dia.

32.00 at Branch 10 in. wide C.P.S.M.

40.00 At gr. Sec. post, from which  
a Beech 10 in. dia. bray N 19 N 7 1/2 in. dist. of  
a Poplar 24 " " " S 73 N 16 " "

45.00 an Ash 36 " "

52.00 at Branch 15 in. wide C.P.S.M.

70.00 Entered the Corner of Township 14  
& 15 North, Range 8 & 9 E, from which  
a Beech 20 in. dia. bray N 57 N 21 1/2 in. dist. of

325

S 15 N 129 E 2<sup>nd</sup> Mer. Indiana  
ch. 1<sup>st</sup> 1/2  
a Hickory 21 mi. dist. from S 65 E 18 1/2 ch. dist.  
Sand timber &c. same. July 25<sup>th</sup> 1819

---

East Boundary var. 7<sup>th</sup> 00' E.

North On E. boundary of Sec. 36  
27.90 a Beech 16 mi. dist.  
40.00 Let gr. Sec. post, from which  
at Beech 13 mi. dist. from S 60 E 26 ch. dist. of  
an Ash 30 " " " N 16 E 8 " "  
57.20 a Creek 30 ch. wide Cr. N.  
59.18 a Sycamore 20 mi. dist.  
80.00 Let post Cor. to Sec. 25 & 36, from which  
a Cherry 30 mi. dist. from S 14 E 47 ch. dist. of  
at Beech 16 " " " N 5 E 27 " "  
Over level land, timber Beech, Elm, Ash &c.  
under 7<sup>th</sup> price

---

North On E. boundary of Sec. 25  
34.14 a Beech 10 mi. dist.  
40.00 Let gr. Sec. post, from which  
at Beech 14 mi. dist. from S 55 E 23 ch. dist. of  
a Do. 10 " " " " N 64 W 22 " "  
51.50 an Elm 24 " " "  
80.00 Let post Cor. to Sec. 24 & 25, from which  
a Maple 20 mi. dist. from S 75 E 10 ch. dist. of  
an Elm 20 " " " " S 27 W 26 " "  
Over good farming land timber Beech, Ash  
Sugar &c. under 7<sup>th</sup> price

---

North On E. boundary of Sec. 24  
40.00 Let gr. Sec. post, from which  
an Ash 8 mi. dist. from S 34 W 6 ch. dist. of  
a Maple 20 " " " " N 78 E 6 " "  
47.74 at Beech 14 " " "  
80.00 Let post Cor. to Sec. 13 & 24, from which  
at Beech 14 mi. dist. from S 27 E 10 ch. dist. of



326 75 N. R 9 E. 2<sup>nd</sup> Mer. Indiana  
ch. 467 at Reek 11 mi. dist. bearing N 58° W 14 th. dist. of  
Over level (wet) land, timber Elm, Hickory &  
underg<sup>g</sup>. Spruce &c.

---

North On E. boundary of Sec. 13

11.20 a Reek 13 mi. dist.

40.00 Let gr. Sec. post, from which  
an Ash 22 mi. dist. bearing N 61° W 5 th. dist. of  
a Reek 12 " " " N 21 E 25 " "

54.32 an Elm 18 " " "

80.00 Let post Cor. to Sec. 12 & 13, from which  
at Reek 10 mi. dist. bearing N 3 E 11 th. dist. of  
an Ash 20 " " " N 18 E 13 "  
Over good farming land, timber Reek, Sugar  
Alder &c. underg<sup>g</sup>. Spruce &c.

---

North On E. boundary of Sec. 12

32.84 an Elm 12 mi. dist.

40.00 Let gr. Sec. post, from which  
a Buckeye 7 mi. dist. bearing N 1 E 15 th. dist. of  
a Walnut 24 " " " N 16 E 21 " "

57.50 a Brook 10 th. wide C & E.

62.84 a Poplar 36 mi. dist.

80.00 Let post Cor. to Sec. 11 & 12, from which  
a Reek 18 mi. dist. bearing N 71 E 6 th. dist. of  
a Buckeye 13 " " " N 33° W 9 "  
Land timber &c. Same as on last mile

---

North On E. boundary of Sec. 1

14.18 a Sugar 14 mi. dist.

40.00 Let gr. Sec. post from which  
a Reek 8 mi. dist. bearing N 6° W 24 th. dist. of  
an Ash 22 " " " N 18 E 25 " "

56.40 a Reek 18 " " "

77.69 Let post Cor. to Township 15 & 16 North  
Range 9 & 10 East, from which

327  
15th - R 9 E. 2<sup>nd</sup> Mer. Indiana  
ch. lky

a Beech 10 in. dia. bears S 89 E 11 lks. dist. &  
a No. 10 " " S 44 E 16 "  
Land timber &c. Same as on last mile

---

North Boundary

Nest On S. boundary of Sec. 36, T 16 N. R 9 E

29.70 a Beech 12 in. dia.

40.00 Set of Sec. post. from which  
an Ironwood 8 in dia. bears S 80 E 10 lks. dist. &  
a Beech 8 " " " N 70 W 19 " "

61.97 a No. 18 " "

80.00 Set post Cor. to Secs. 35 & 36, from which  
an Elm 16 in. dia. bears N 72 E 26 lks. dist. &  
a No. 13 " " " S 34 W 16 "  
Over good farming land timber Beech Sugar  
Ash &c. Spice -

---

Nest On S. boundary of Sec. 35, T 16 N. R 9 E.

17.50 a Beech 12 in. dia.

40.00 Set of Sec. post. from which  
a W. Oak 8 in. dia. bears S 70 E 12 lks. dist. &  
a Buckeye 9 " " " S 41 W 10 " "

49.74 an Oak 40 " "

80.00 Set post Cor. to Secs. 34 & 35, from which  
an Elm 18 in. dia. bears S 74 E 9 lks. dist. &  
an Ash 20 " " " S 45 W 6 " "  
Over level Land timber Beech Oak &c.

---

Nest On S. boundary of Sec. 34, T 16 N. R 9 E.

7.24 a Beech 18 in. dia.

10.20 a Brook 6 lks. wide course N. W.

40.00 Set of Sec. post, from which  
a Hickory 12 in. dia. bears S 49 E 19 lks. dist. &  
a No. 13 " " " N 74 W 24 " "

66.34 a Beech 24 " "

80.00 Set post Cor. to Secs. 33 & 34, from which

328

T45 N R9 E. 2<sup>nd</sup> Mer. Indiana

Ch. P. L. H.

a Sugar 12 in. dia. bears S 67 E 4 lts. dist. &  
 a Hlo. 13 " " " S 70 W 31 " "  
 Over rolling Land timber Sugar Beech &c.

West On S. boundary of Sec. 33. T16 N. R9 E

7.50 a Creek 10 lts. wide Course S. W.

19.30 a Sugar 18 in. dia.

36.00 a Creek 50 lts. wide Course S.

40.00 Set of Sec. post. from which  
 a Hickory 9 in. dia. bears S 70 E 9 lts. dist. &  
 a Buckeye 8 " " " S 43 W 9 " "

66.08 an Ash 18 " "

80.00 Set post Cor. to Secs. 32 & 33, from which  
 an Ironwood 7 in. dia. bears S 44 E 24 lts. dist. &  
 a Sugar 11 " " " S 79 W 24 " "  
 Over level rich Land timber Beech, Sugar, Ash,  
 undergrowth Spice.

West On S. boundary of Sec. 32, T16 N. R9 E

25.40 a Sugar 13 in. dia.

31.60 a Brook 7 lts. wide Course S.

40.00 Set of Sec. post. from which  
 a Sugar 18 in. dia. bears N 57 E 25 lts. dist. &  
 a Hlo. 24 " " " S 47 E 19 " "

47.96 a Sugar 22 " "

80.00 Set post Cor. to Secs. 31 & 32, from which  
 a Sugar 10 in. dia. bears N 11 E 16 lts. dist. &  
 a Dogwood 6 " " " S 38 W 8 " "  
 Over level timber Beech Ash Sugar &c.

West On S. boundary of Sec. 31. T16 N. R9 E

22.70 a Sugar 18 in. dia.

23.00 a Creek 30 lts. wide Course S.

40.00 Set of Sec. post. from which  
 a Beech 18 in. dia. bears S 24 E 7 lts. dist. &  
 a Hickory 18 " " " N 89 W 23 " "

329

N 5 N 129 E. 2<sup>nd</sup> Mer. Indiana

ch. 1<sup>st</sup> 1/2  
 71.66 Intersected the N. & S. line at the cor. of T<sup>s</sup>.  
 15 & 16 N. R<sup>s</sup> 8 & 9 E. July 21<sup>st</sup> 1819.

---

West Boundary var 7<sup>th</sup> 00' E.

North On E. boundary of Sec. 36, N 5 N, 128 E  
 16.58 a Beech 21 in. dia.  
 40.00 Set of Sec. post, from which  
 a Beech 20 in. dia. (bray) N 88 W 20 in. dia. &  
 an Ash 22 " " " N 67 E 40 " "  
 65.20 an Ash 24 " "  
 80.00 Set post Cor. Cor. to Sec. 25 & 36, from which  
 a Sycamore 36 in. dia. (bray) N 57 W 11 in. dia. &  
 an Elm 10 " " " N 17 E 3 " "  
 Good farming land Beech, Sugar Elm, Ash,  
 Poplar &c. running to Spruce & Pampaw

---

North On E. boundary of Sec. 25, N 5 N, 128 E.  
 17.00 a Branch 5 in. wide E. S. W.  
 31.42 an Ash 20 in. dia.  
 32.00 a Branch 5 in. wide E. S. W.  
 40.00 Set of Sec. post, from which  
 an Ash 28 in. dia. (bray) N 12 E 14 in. dia. &  
 a Beech 7 " " " N 86 W 12 " "  
 54.31 a do. 25 " "  
 80.00 Set post Cor. to Sec. 24 & 25, from which  
 a Sugar 9 in. dia. (bray) N 36 W 18 in. dia. &  
 a Beech 7 " " " N 67 E 16 " "  
 Land timber &c. same as on last mile

---

North On E. boundary of Sec. 24, N 5 N, 128 E.  
 9.40 a Buckeye 24 in. dia.  
 35.00 touched a bend of N. river coming from N. W. then S. W.  
 40.00 Set of Sec. post, from which  
 a Sycamore 12 in. dia. (bray) N 49 W 16 in. dia. &  
 a do. 24 " " " N 80 E 40 " "  
 42.00 to White River 20 in. wide E. S. W.



330 15<sup>th</sup> 129 E. 2<sup>d</sup>. Mer. Indiana

ch. 1<sup>st</sup> 1/2

52.00 Crossed a bend of W. River

69.30 a Sugar 21 mi. dist.

80.00 Set post Cor. to Sec. 13 & 24, from which  
an Elm 15 mi. dist. (bray N 47 E 18 1/2 mi. dist. of  
a Beech 18 " " " N 49 W 16 "  
This mile mostly river bottom, Elm, Sugar,  
Ash, Buckeye, Walnut &c. and g. Spruce & Poplar

---

North On E. boundary of Sec. 13, 15 N. 128 E.

5.00 a Branch 4 1/2 mi. wide Cr. E.

39.36 a Sugar 10 mi. dist.

40.00 Set of Sec. post, from which  
a Sugar 7 mi. dist. (bray N 45 W 25 1/2 mi. dist. of  
a Do. 10 " " " N 72 E 16 " "

50.39 an Oak 36 " "

57.50 a Branch 15 1/2 mi. wide Cr. S. W.

80.00 Set post Cor. to Sec. 12 & 13, from which  
a Beech 9 mi. dist. (bray N 14 W 7 1/2 mi. dist. of  
a Sugar 18 " " " N 85 E 16 " "  
Broken land Beech, Sugar, Ash, Poplar &c  
under g. Spruce & Poplar

---

North On E. boundary of Sec. 12, 15 N. 128 E.

17.06 a Beech 12 mi. dist.

40.00 Set of Sec. post, from which  
a Beech 24 mi. dist. (bray N 14 E 7 1/2 mi. dist. of  
a Do. 7 " " " N 77 W 25 "

80.00 Set post Cor. to Sec. 1 & 12, from which  
a Sugar 20 mi. dist. (bray N 64 W 23 1/2 mi. dist. of  
an Iron P. 6 " " " N 67 E 12 " "  
Level wet land timber Sugar, Beech, Ash, Elm  
under g. Spruce &c.

---

North On E. boundary of Sec. 1, 15 N. 128 E

40.00 Set of Sec. post, from which

a Sugar 6 mi. dist. (bray N 70 E 14 1/2 mi. dist. of

5th Rq Co. 2<sup>d</sup>. Mer. Indiana 331

ch. lks  
a Beech 7 in. dia. bears N 89 W 19 lks. dist.  
51.03 an Elm 25 "  
77.75 Intersected the E & W line 856 lks. E. of temp.  
post set first Cor. to Township 15 & 16 North  
Range 8 & 9 East, from which  
a Beech 8 in. dia. bears N 46 W 10 lks. dist. &  
a do. 7 " " " N 58 E 15 "  
Level 2<sup>d</sup> rate land, Beech, Sugar, Ash, Elm  
Poplar &c. undergrowth Spice &c.  
Thursday July 22<sup>d</sup> 1879  
Cornell C. Donald,  
Deputy Surveyor Com.

---

Subdivision var. 7<sup>th</sup> 00' E.  
North Between Secs. 35 & 36  
19.00 a Sugar 12 in. dia.  
40.00 Set of Sec. post, from which  
an Ash 12 in. dia. bears West 5 lks. dist. &  
a Sugar 9 " " " East 12 " "  
59.50 a Cherry 24 "  
80.00 Set post Cor. to Secs. 25, 26, 35 & 36, from which  
an Ash 5 in. dia. bears West 6 lks. dist. &  
a Buckeye 6 " " " N 5 E 13 "  
Land level first rate timber Ash, Oak, Elm,  
Walnut undergrowth Spice &c.

---

East On Random between Secs. 25 & 36.  
7.00 a Stream 30 lks. wide course N. W.  
7.50 a Spring — " " " N. W.  
33.50 a Stream 30 " " " S. W.  
40.00 Set temp. of Sec. post.  
63.50 a Stream 30 lks. wide course N. W.  
74.00 a Spring — " " " South  
82.67 Intersected the E. boundary 10 lks. S. of post.  
Land timber &c. Same as last mile

---

# N 5 N N 9 E. 2<sup>nd</sup> Mer. Indiana

ch. lks

West Corrected between Sec. 25 & 26.

20.00 a Sycamore 14 in. dia.

41.33 Set of Sec. post, at average dist. from which  
an Elm 12 in. dia. bears North 12 lks. dist. &  
a Beech 8 " " " S E 15 " "

64.00 a No. 10 " "

82.67 to Section Corner

North Between Sec. 25 & 26

8.00 a Stream 30 lks. wide course —

40.00 Set of Sec. post, from which  
a Buckeye 20 in. dia. bears S 80 E 25 lks. dist. &  
a No. 7 " " " N 70 W 9 " "

62.00 a Beech 20 " "

80.00 Set post Cor. to Sec. 23, 24, 25 & 26, from which  
a Beech 10 in. dia. bears West 15 lks. dist. &  
an Ash 10 " " " East 18 " "

Land level first rate timber Beech, Ash,  
Elm, Walnut Hickory &c. under y<sup>th</sup> Spruce.

East On Prandon between Sec. 24 & 25

40.00 Set temp. of Sec. post.

82.50 Intersected the E. boundary 140 lks. S. of post.  
Land timber &c. Same as last mile

West Corrected between Sec. 24 & 25

20.00 a Beech 20 in. dia.

41.25 Set of Sec. post, at averaged dist. from which  
a Beech 7 in. dia. bears North 8 lks. dist. &  
a No. 7 " " " S 80 W 25 " "

62.00 a Beech 22 " "

82.50 to Section Corner

North Between Sec. 23 & 24

20.00 a Hickory 30 in. dia.

40.00 Set of Sec. post, from which

# T15 N - T19 E. 2<sup>nd</sup> Mer, Indiana

333

ch. l. l.

a Beech 9 in. dia. bears East 8 l. dist. 4  
 a No 12 " " " N 50 W 10 " "  
 60.00 a Beech 10 " "  
 80.00 Set post Cor. to Secs. 14, 13, 23 & 24, from which  
 a Buckeye 6 in. dia. bears N 60 W 10 l. dist. 4  
 a Beech 9 " " " S 60 E 10 " "  
 Land level & wet timber Beech, Oak, Ash, Sugar,  
 Elm Poplar &c. Undergrowth Spice &c.

East On Random between Secs. 13 & 24  
 40.00 Set temp. of. Sec. post  
 82.50 Intersected the E. boundary 8 l. S of post.  
 Land level first rate timber & undergrowth Same  
 as on the last mile

West Corrected between Secs. 13 & 24  
 22.00 a Buckeye 12 in. dia.  
 41.25 Set of. Sec. post, at average dist. from which  
 a Beech 12 in. dia. bears S 10 E 6 l. dist. 4  
 an Elm 20 " " " North 25 " "  
 60.50 a Beech 20 " "  
 82.50 to Section Corner

North Between Secs. 13 & 14.  
 23.50 a Beech 20 in. dia.  
 40.00 Set of. Sec. post, from which  
 a Sugar 15 in. dia. bears East 4 l. dist. 4  
 an Ironw. 4 " " " West 20 " "  
 66.00 an Ash 20 " "  
 80.00 Set post Cor. to Secs. 11, 12, 13 & 14, from which  
 an Ash 8 in. dia. bears S W 12 l. dist. 4  
 an Ironw. 5 " " " East 7 " "  
 Land timber &c. Same as last mile

East On Random between Secs. 12 & 13  
 40.00 Set temp. of. Sec. post



334 15<sup>th</sup> 1896. 2<sup>nd</sup> Mer. Indiana

Ch. H. H.

82.80 Intersected the E. boundary 12 lks. S. of post.  
Land & timber same as last mile

West Corrected between Sec. 12 & 13

24.00 a Beech 11 in. dia.

41.40 Set of. Sec. post. at average dist. from which  
a Elm 12 in. dia. bears North 3 lks. dist. &  
a No. 8 " " " S 30 E 22 " "

64.00 a Sugar 16 " "

82.80 to Section Corner. July 29<sup>th</sup> 1890.

North Between Sec. 11 & 12

24.00 an Ash 7 in. dia.

40.00 Set of. Sec. post. from which  
a Beech 10 in. dia. bears N 15 E 50 lks. dist. &  
a Sugar 9 " " " S 50 W 30 " "

42.00 a Brook 30 lks. wide course S. W.

59.00 a Beech 12 in. dia.

80.00 Set post Cor. to Sec. 1, 2, 11 & 12, from which  
an Oak 40 in. dia. bears West 14 lks. dist. &  
an Elm 6 " " " S 30 E 12 " "

Land level 2<sup>nd</sup> rate timber undergrowth same  
as on the last mile.

East On Random between Sec. 1 & 12

40.00 Set temp. of. Sec. post.

83.00 Intersected the E. boundary 11 lks. S. of post.  
Land uneven 2<sup>nd</sup> rate timber &c. same as on  
the last mile

West Corrected between Sec. 1 & 12.

24.00 a Sycamore 30 in. dia.

41.50 Set of. Sec. post. at average dist. from which  
a Hickory 14 in. dia. bears East 12 lks. dist. &  
a Lym 9 " " " S 40 W 25 " "

63.50 an Elm 8 " "

335

N 5 N 129 E. 2<sup>d</sup> Mer. Indiana

ch. L. 1/4  
83.50 to Section Corner

---

North Between Secs. 1 & 2  
 20.00 an Ash 16 in. dia.  
 40.00 Set of Sec. post. from which  
 a Beech 24 in. dia. bears South 12 lks. dist. &  
 an Ash 20 " " " N 40 E 25 " "  
 59.50 a Hickory 14 " "  
 84.00 Intersected the N. boundary 178 lks. N. of post.  
 Set post Cor. to Secs. 1 & 2, from which  
 a Beech 30 in. dia. bears N 70 E 22 lks. dist. &  
 a No. 11 " " " N 70 W 14 " "  
 Land level 2<sup>nd</sup> rate timber Beech, Ash, Elm,  
 Sugar &c. undergrowth Spice, Potupaw &c.  
 August 1<sup>st</sup> 1820.

---

North Between Secs. 34 & 35.  
 22.00 a Sugar 7 in. dia.  
 35.00 a Beech 30 lks. wide course S. W.  
 40.00 Set of Sec. post. from which  
 an Ash 24 in. dia. bears West 8 lks. dist. &  
 a No. 6 " " " N 40 E 50 " "  
 63.00 a Sugar 12 " "  
 80.00 Set post Cor. to Secs. 26, 27, 34 & 35, from which  
 a Beech 7 in. dia. bears S 30 E 25 lks. dist. &  
 a No. 7 " " " N 10 E 20 " "  
 Land level first rate timber Beech, Ash, Elm, Sugar,  
 Walnut, Hickory - undergrowth Spice

---

East On Random between Secs. 26 & 35  
 25.00 a Stream 30 lks. wide course S. W.  
 40.00 Set temp. of Sec. post.  
 80.75 Intersected the N. & S. line 50 lks. S. of post.  
 Land 2<sup>nd</sup> rate timber Beech, Ash, Sugar, Walnut,  
 undergrowth. Spice &c.

---

336 Sp. N. R. G. 2<sup>nd</sup> Mer. Indiana

Ch. L. L.

West Corrected between Sec. 26 & 35  
 20.00 an Oak 30 in. dia.  
 40.37 Set of. Sec. post. at average dist. from which  
 a Sugar 10 in. dia. bears S 30 W 12 lks. dist. &  
 a Do. 6 " " " East 15 " "  
 62.00 an Ash 16 " "  
 80.75 to Section Corner

North Between Sec. 26 & 27

18.00 a Sugar 18 in. dia.  
 40.00 Set of. Sec. post. from which  
 a Beech 7 in. dia. bears N 80 E 10 lks. dist. &  
 an Ash 5 " " " S 70 W 15 " "  
 57.00 a Buckeye 12 " "  
 80.00 Set post. Cor. to Sec. 22, 23, 26 & 27, from which  
 a Beech 2 1/4 in. dia. bears East 12 lks. dist. &  
 a Do. 14 " " " S W 8 " "  
 Land level first rate timber undergrowth same  
 as on the last mile

East On Random between Sec. 23 & 26

40.00 Set temp. of. Sec. post.  
 63.00 a Brook 10 lks. wide course south  
 80.75 Intersected the N. & S. line 8 lks. N. of post.  
 Land level 2<sup>nd</sup> rate timber. Ash, Oak, Elm &c.  
 Beech - underg<sup>th</sup> Spruce -

West Corrected between Sec. 23 & 26

22.00 a W. Ash 20 in. dia.  
 40.37 Set of. Sec. post. at average dist. from which  
 a Beech 4 in. dia. bears N 50 E 8 lks. dist. &  
 a Sugar 7 " " " S E 20 " "  
 60.00 a Hickory 12 " "  
 80.75 to Section Corner

North Between Sec. 22 & 23

# S5 N 129 E 2<sup>nd</sup> Mer. Indiana 337

Ch<sup>th</sup> 1/2

- 20.00 a S. Ash 16 in. dia:  
 40.00 Set of Sec. post. from which  
 a Sycamore 36 in. dia: bears South 10 lks. dist. &  
 a Sugar 18 " " " North 13 " "  
 61.00 a Beech 9 " "  
 80.00 Set post Cor. to Sec<sup>s</sup> 14, 15, 22 & 23, from which  
 a Beech 7 in. dia: bears S E 8 lks. dist. &  
 a W. 9 " " " N W 20 " "  
 Land timber &c. Same as last, Mile

- East On Random between Sec<sup>s</sup> 14 & 23  
 40.00 Set temp<sup>y</sup> of Sec. post.  
 80.50 Intersected the N. & S. line 64 lks. N. of post.  
 Land timber &c. Same as last Mile

- West Connected between Sec<sup>s</sup> 14 & 23  
 22.00 a Beech 20 in. dia:  
 40.25 Set of Sec. post. at average dist. from which  
 an Ash 20 in. dia: bears N E 4 lks. dist. &  
 a Lymw 12 " " " S 65 W 15 " "  
 61.00 a W. Oak 24 " "  
 80.50 to Section Corner. August 2<sup>nd</sup> 1820.

- North Between Sec<sup>s</sup> 14 & 15  
 20.00 a W. Ash 10 in. dia:  
 40.00 Set of Sec. post. from which  
 a Beech 30 in. dia: bears East 11 lks. dist. &  
 an Ironw<sup>d</sup> 5 " " " S 80 W 16 " "  
 59.00 a Beech 24 " "  
 69.00 a Brook 20 lks. wide course S. W  
 80.00 Set post Cor. to Sec<sup>s</sup> 10, 11, 14 & 15, from which  
 a W. Elm 20 in. dia: bears East 4 lks. dist. &  
 a B. Ash 9 " " " S W 3 " "  
 Land Hilly 2<sup>nd</sup> rate timber &c. Same as last, Mile.

- East On Random between Sec<sup>s</sup> 11 & 14.



# 15 N 19 E. 2<sup>nd</sup> Mer. Indiana

Ch. 1/4

17.00 a Brook 20 lbs. wide Course S. W.

40.00 Set temp. q. Sec. post.

80.50 Intersected the N. & S. line 8 lbs. N. of post.

Land Hilly 2<sup>nd</sup> rate timber Beech, Ash, Oak, Elm,  
Sugar &c. Undergrowth Spice -

West Corrected between Sec. 11 & 14.

20.00 a Beech 8 in. dia.

40.35 Set q. Sec. post. at average dist. from which  
a Beech 7 in. dia. bears S. W 6 lbs. dist. &  
a W. 3 " " " N E 16 " "

60.00 a Sugar 16 " "

80.50 to Section Corner

North Between Sec. 10 & 11

22.00 a Hickory 22 in. dia.

40.00 Set q. Sec. post. from which  
a Beech 14 in. dia. bears North 8 lbs. dist. &  
a W. 17 " " " S 15 E 3 " "

62.50 a Maple 8 " "

80.00 Set post Cor. to Sec. 2, 3, 10 & 11, from which  
a W. Oak 40 in. dia. bears North 12 lbs. dist. &  
a Beech 14 " " " S 80 E 10 " "  
Land level 3<sup>rd</sup> rate timber Beech, Ash, Oak, &c.  
Undergrowth Spice &c.

East On Random between Sec. 2 & 11

40.00 Set temp. q. Sec. post.

80.31 Intersected the N. & S. line 6 lbs. N. of post.

Land timber &c. Same as last mile

West Corrected between Sec. 2 & 11

20.00 a Sugar 18 in. dia.

40.15 Set q. Sec. post. at average dist. from which  
a Sugar 6 in. dia. bears East 10 lbs. dist. &  
a Beech 9 " " " S 50 W 14 " "

# 339

## 15 N 129 E. 2<sup>d</sup> Mer. Indiana

ch. lks

61.00 a Beech 10 in. dia.  
80.31 to Section Corner

North Between Sec. 2 & 3.

25.00 a Hickory 16 in. dia.

40.00 Set qf. Sec. post, from which  
a Beech 7 in. dia. bears S 70 E 8 lks. dist. &  
a Do. 8 " " " S 65 W 6 " "

58.25 a W. Ash 18 " "

84.16 Intersected the N. boundary 117 lks. N. of post.  
Set post. Cor. to Sec. 2 & 3, from which  
a Beech 2 1/4 in. dia. bears East 3 lks. dist. &  
a W. Ash 10 " " " N 40 W 25 " "  
Land timber &c. Same as last mile

August 3<sup>rd</sup> 1820 - A. Wallace -

North Between Sec. 33 & 34

21.00 an Elm 20 in. dia.

40.00 Set qf. Sec. post. from which  
a Sugar 9 in. dia. bears North 3 lks. dist. &  
a Beech 2 1/4 " " " S E 15 " "

59.00 a Do. 2 1/4 " "

80.00 Set post Cor. to Sec. 27, 28, 33 & 34, from which  
a Sugar 10 in. dia. bears N 10 W 8 lks. dist. &  
a Do. 8 " " " South 20 " "  
Land level 2<sup>nd</sup> rate timber Beech, Ash, Oak,  
Elm &c. Undergr<sup>th</sup> Spice &c.

East On Random between Sec. 27 & 34

40.00 Set temp. qf. Sec. post.

80.78 Intersected the N. & S. line 6 lks. N. of post.  
Land level 2<sup>d</sup> rate timber Beech, Ash, Oak,  
Elm &c. Undergrowth Spice.

West Corrected between Sec. 27 & 34

20.00 a Hickory 12 in. dia.

# 340 St. Regis Co. Mer. Indiana

Ch. 64

40.39 Set of Sec. post. at average dist. from which  
a Sugar 10 in. dia. bears S 85 W 11 lks. dist. &  
an Ash 20 " " " N 70 E 18 " "  
60.00 a Hickory 11 in. dia.  
80.78 to Section Corner

North Between Secs. 27 & 28

25.00 a Sycamore 3 in. dia.  
40.00 Set of Sec. post. from which  
a Hickory 11 in. dia. bears S 60 W 14 lks. dist. &  
a Buckeye 5 " " " S E 16 " "  
60.00 a W. Ash 16 " "  
80.00 Set post Cor. to Secs. 21, 22, 27 & 28, from which  
a Beech 24 in. dia. bears West 3 lks. dist. &  
a Sugar 10 " " " East 25 " "  
Land level 2" rate timber Beech, Ash, Oak, Sugar &c.  
Undergrowth Spice &c.

East On Pradon between Secs. 22 & 27

40.00 Set temp. of Sec. post.  
80.19 Intersected the N. & S. line 25 lks. N. of post.  
Land level 3" rate timber & undergrowth same  
as on the last mile

West Connected between Secs. 22 & 27.

24.00 a Beech 14 in. dia.  
40.09 Set of Sec. post. at average dist. from which  
a Beech 5 in. dia. bears N. E 5 lks. dist. &  
an Ash 9 " " " South 25 " "  
60.00 a Beech 16 " "  
80.19 to Section Corner

North Between Secs. 21 & 22

20.50 an Ash 20 in. dia.  
40.00 Set of Sec. post. from which  
a Sugar 11 in. dia. bears N 30 E 8 lks. dist. &

341  
 S 15 N R 9 E 2<sup>nd</sup> Mer. Indiana  
 W. L. H.

a Beech 9 in. dia. bears S 10 E 10 lks. dist. &

65.00 a Poplar 36 "

80.00 Set post Cor. to Secs. 15, 16, 21 & 22, from which

a Beech 14 in. dia. bears N 80 E 12 lks. dist. &

a No. 7 " " " West 18 "

Land level 2<sup>nd</sup> rate timber Beech, Ash, Oak, Elm,  
 Sugar &c. undergrowth Spice

East On Random between Secs. 15 & 22

40.00 Set temp. q. Sec. post

79.87 Intersected the N. & S. line 17 lks. S. of post.

Land level first. Rate timber Beech, Ash, Oak,  
 Elm &c. undergrowth Spice &c.

West Corrected between Secs. 15 & 22

18.00 a Sugar 14 in. dia.

39.93 Set q. Sec. post, at average dist. from which

a Sugar 25 in. dia. bears N 70 W 15 lks. dist. &

a Beech 3 " " " S 80 E 8 " "

61.00 an Elm 8 " "

79.87 to Section Corner

North Between Secs. 15 & 16

19.00 a Hickory 16 in. dia.

40.00 Set q. Sec. post, from which

a Cherry 5 in. dia. bears West 9 lks. dist. &

a Beech 20 " " " S 10 E 15 " "

62.00 a No. 20 " "

80.00 Set post Cor. to Secs. 9, 10, 15 & 16, from which

a Beech 6 in. dia. bears S 50 E 12 lks. dist. &

a Buckeye 12 " " " N 30 E 20 " "

Land level first rate timber Beech, Ash, Oak, Elm  
 Sugar, Walnut &c. undergrowth Spice &c.

East On Random between Secs. 10 & 15

10.00 a Brook 20 lks. wide course N. W.



342

# St. N. R. G. D. Mer. Indiana

ch. 1/2

20.00 a Spring Course S. W.

40.00 Set temp. g. Sec. post.

54.00 a Brook 8 lbs. wide course S. W.

79.88 Intersected the N. &amp; S. line 30 lbs. S. of post.

Land Hilly 2<sup>d</sup> rate timber Beech Ash Oak &c.  
undergrowth Spice -

West Corrected between Sec. 10 &amp; 15

20.00 a Beech 10 in. dia.

39.94 Set g. Sec. post. at average dist. from which  
a B. Ash 5 in. dia. bears N 30 W 12 lbs. dist. &  
a Buckeye 10 " " " S 35 W 15 " "

60.50 an Elm 18 " "

79.88 to Section Corner August 5<sup>th</sup> 1821.

North Between Sec. 10 &amp; 7

13.00 a Brook 20 lbs. wide course N.

17.00 a W. Oak 36 in. dia.

35.00 a Spring -

40.00 Set g. Sec. post. from which  
a Hickory 16 in. dia. bears West 5 lbs. dist. &  
a Beech 14 " " " S 10 E 20 " "

60.00 a W. Ash 24 " "

80.00 Set post Cor. to Sec. 3, 4, 9 & 10, from which  
a Beech 7 in. dia. bears West 10 lbs. dist. &  
a W. 10 " " " N 85 E 14 " "

Land Hilly 2<sup>d</sup> rate timber Beech, Oak Ash &c.  
undergrowth Spice -

East On Random between Sec. 3 &amp; 10

40.00 Set temp. g. Sec. post.

79.50 Intersected the N. &amp; S. line 74 lbs. S. of post.

Land level 2<sup>d</sup> rate timber &c. Same as last mile

West Corrected between Sec. 3 &amp; 10

35.00 a Sugar 10 in. dia.

15 N 19 E 2<sup>nd</sup> Mer Indiana

343

ch 2<sup>th</sup>

- 39.75 Set of. Sec. post. at average dist. from which  
a W. Ash 10 in. dia. bears S 10 W 12 lks. dist. &  
a Sugar 6 " " " N 10 W 8 " "  
65.00 a Do. 7 " "  
79.50 to Section Corner

North Between Sec. 3 & 4

- 17.50 a Sugar 15 in. dia.  
40.00 Set of. Sec. post. from which  
a Beech 9 in. dia. bears South 12 lks. dist. &  
a Do. 5 " " " N 30 W 8 " "  
65.00 a Poplar 50 " "  
85.00 Intersected the N. boundary 12 lks. E. of post.  
Set post Cor. to Sec. 3 & 4, from which  
a Sugar 12 in. dia. bears West 8 lks. dist. &  
a Do. 5 " " " N 60 E 15  
Land Hilly 2<sup>nd</sup> rate timber Beech, Ash, Oak, Poplar,  
undergrowth Spice &c. August 6<sup>th</sup> 1820.

North Between Sec. 32 & 33.

- 23.00 an Ash 24 in. dia.  
40.00 Set of. Sec. post. from which  
an Oak 30 in. dia. bears S 40 E 6 lks. dist. &  
a Poplar 36 " " " N — W 10 " "  
60.80 an Ash 16 " "  
80.00 Set post Corner to Sec. 28, 29, 32 & 33, from which  
a Beech 24 in. dia. bears S 80 E 8 lks. dist. &  
a B. Ash 6 " " " S 30 W 20 " "  
Land level & wet timber Beech, Ash, Elm, Sycamore,  
&c. undergrowth Spice.

East On Prandon between Sec. 28 & 33

- 40.00 Set temp. of. Sec. post.  
81.08 Intersected the N. & S. line 37 lks. N. of post  
Land wet timber Ash Elm &c. undergrowth Spice

344

T<sup>h</sup> 5<sup>th</sup> N R 9 E 2<sup>d</sup>. Mer. Indiana

West Corrected between Sec. 28 &amp; 33

20.00 a Lym 20 in. dia.

40.54 Set q. Sec. post. at average dist. from which  
an Ash 7 in. dia. bears S 60 W 16 lht. dist. &  
a Beech 6 " " " N 20 E 10 " "

62.50 a Poplar 24 " "

81.08 to Section Corner

North Between Sec. 28 &amp; 29

21.30 an Ash 24 in. dia.

40.00 Set q. Sec. post. from which  
a Buckeye 8 in. dia. bears East 8 lht. dist. &  
a Hickory 10 " " " N 70 W 18 " "

57.80 an Ash 16 " "

80.00 Set post Cor. to Sec. 20, 21, 28 & 29, from which  
a Beech 20 in. dia. bears S 80 W 14 lht. dist. &  
a W. 18 " " " N 80 E 30Land level 2<sup>d</sup> rate timber Beech, Ash, Elm, Poplar,  
undergrowth Spice &c.

East On Random between Sec. 21 &amp; 28

40.00 Set temp. q. Sec. post.

81.30 Intersected the N. & S. line 50 lht. N. of post.  
Land timber &c. Same as last mile

West Corrected between Sec. 21 &amp; 28

25.00 a Beech 8 in. dia.

40.65 Set q. Sec. post. at average dist. from which  
an Elm 30 in. dia. bears N E 20 lht. dist. &  
a Hickory 12 " " " West 16 " "

61.80 a Beech 16 " "

81.30 to Section Corner

North Between Sec. 20 &amp; 21.

18.00 a Beech 10 in. dia.

40.00 Set q. Sec. post. from which

# St. N 9 E. 2<sup>nd</sup> Mer. Indiana

345

ch. lky

- a Beech 12 in. dia. bears East 8 lks. dist. &  
 a No. 30 " " " S 30 W 18 " "  
 58.00 a Beech 24 " "  
 80.00 Set post Cor. to Sect. 16, 17, 20 & 21, from which  
 a Sugar 5 in. dia. bears South 10 lks. dist. &  
 a Beech 30 " " " N 30 E 20 " "  
 Land level 2<sup>nd</sup> rate timber Beech, Ash, Elm, &c.,  
 undergrowth Spice. August 11<sup>th</sup> 1820. A. Wallace

East On Random between Sect. 16 & 21.

- 40.00 Set temp. g. Sec. post  
 80.81 Intersected the N. & S. line 12 lks. S. of post.  
 Land timber same as on the last mile

West Connected between Sect. 16 & 21

- 20.00 a Beech 18 in. dia.  
 40.40 Set g. Sec. post, at average dist. from which  
 a Linn 6 in. dia. bears N E 5 lks. dist. &  
 a Beech 8 " " " S - N 30 " "  
 60.50 an Ash 10 " "  
 80.81 to Section Corner

North Between Sect. 16 & 17

- 26.00 a Sugar 18 in. dia.  
 40.00 Set g. Sec. post, from which  
 a W. Oak 9 in. dia. bears S 40 W 15 lks. dist. &  
 a Sugar 16 " " " N 10 W 10 " "  
 61.00 a No. 16 " "  
 80.00 Set post Cor. to Sect. 8, 9, 16 & 17, from which  
 a Sugar 24 in. dia. bears South 6 lks. dist. &  
 a No. 18 " " " N 40 W 35 " "  
 Land Hilly first rate timber Beech, Ash, Oak,  
 Elm Sugar &c. underg<sup>th</sup> Spice &c.

East On Random between Sect. 9 & 16

- 40.00 Set temp. g. Sec. post.



346 *St. Regis Co. 2<sup>nd</sup> Mer. Indiana*  
*ch. 2<sup>th</sup>*

80.48 Intersected the N. & S. line 47 lks. N. of post.  
 Land 2<sup>nd</sup> rate timber Beech, Oak, Ash, Sugar &c.  
 underg<sup>th</sup> Spice &c.

---

West Corrected between Sect. 9 & 16  
 22.50 a Sugar 22 in. dia.  
 40.24 Set q. Sec. post, at average dist. from which  
 a Beech 6 in. dia. bears North 20 lks. dist. &  
 a No. 12 " " " S-N 12 " "  
 61.00 a Beech 20 " "  
 80.48 to Section Corner

---

North Between Sect. 8 & 9  
 22.00 a Sugar 18 in. dia.  
 40.00 Set q. Sec. post, from which  
 a Beech 9 in. dia. bears N 40 E 7 lks. dist. &  
 a No. 13 " " " S-N 50 " "  
 65.00 an Elm 14 " "  
 71.00 a Stream 150 lks. wide Course S. W.  
 80.00 Set post Cor. to Sect. 4, 5, 8 & 9, from which  
 a Buckeye 9 in. dia. bears N 70 W 6 lks. dist. &  
 a No. 11 " " " East 20 " "  
 Land Hilly 2<sup>nd</sup> rate timber Same as last mile

---

East On Pradom between Sect. 4 & 9.  
 8.00 a Stream 150 lks. wide Course S. W.  
 40.00 Set temp. q. Sec. post.  
 80.48 Intersected the N. & S. line 10 lks. N. of post.  
 Land uneven 2<sup>nd</sup> rate timber Beech, Ash, Elm,  
 &c. underg<sup>th</sup> Spice &c.

---

West Corrected between Sect. 14 & 9  
 20.00 a Beech 8 in. dia.  
 40.24 Set q. Sec. post, at average dist. from which  
 a Beech 10 in. dia. bears West 20 lks. dist. &  
 a Sugar 10 " " " S 70 E 10 " "

347

T5 N 129 E. 2<sup>nd</sup> Mer. Indiana

ch. 4<sup>th</sup>  
 55.00 a Beech 14 in. dia.  
 80.48 to Section Corner

North Between Secs. 14 & 5  
 25.50 a Cherry 8 in. dia.  
 33.50 a Brook 10 lks. wide Course E.  
 40.00 Set of Sec. post. from which  
     a Buckeye 9 in. dia. bears N 60 E 9 lks. dist. &  
     a Sugar 24 " " " S 30 W 13 " "  
 61.50 an Elm 16 " "  
 84.81 Intersected the N. boundary 86 lks. E. of post.  
     Set post Cor. to Secs. 14 & 5, from which  
     a Sugar 16 in. dia. bears East 5 lks. dist. &  
     a No. 20 " " " S 10 E 20 "  
     Land Hilly 2<sup>nd</sup> rate timber same as last mile  
     August 12<sup>th</sup> 1820, A. Wallace

North Between Secs. 31 & 32.  
 16.50 an Ash 24 in. dia.  
 40.00 Set of Sec. post. from which  
     a W. Oak 24 in. dia. bears South 10 lks. dist. &  
     a Sugar 18 " " " N 10 E 7 " "  
 67.00 a B. Walnut 24 " "  
 80.00 Set post Cor. to Secs. 29, 30, 31 & 32, from which  
     a Beech 14 in. dia. bears N 18 E 3 lks. dist. &  
     a No. 12 " " " S 85 W 25 "  
     Land level 2<sup>nd</sup> rate timber Beech, Ash, Oak, Elm,  
     Sugar &c. underg<sup>th</sup> Spice &c.

East On Bandon between Secs. 29 & 32.  
 40.00 Set temp. of Sec. post.  
 81.20 Intersected the N. & S. line 20 lks. N. of post.  
     Land level 2<sup>nd</sup> rate timber Beech, Ash, Oak,  
     underg<sup>th</sup> Spice &c.

West Connected between Secs. 29 & 32

348

W. N. R. G. E. 2<sup>nd</sup> Mer. Indiana  
ch. 2<sup>nd</sup> 1/2

21.00 an Ash 12 in. dia.

40.60 Set of Sec. post. at average dist. from which  
a Logwood 3 in. dia. bears North 12 lks. dist. &  
a Beech 20 " " " S - N 15 " "

61.00 a W. 10 " "

81.20 to Section Corner

North Between Sect. 29 & 30

29.00 a B. Oak 30 in. dia.

40.00 Set of Sec. post. from which  
a W. Oak 30 in. dia. bears N<sup>o</sup> N 20 lks. dist. &  
a Beech 10 " " " N 80 E 14 " "

58.00 a W. 14 " "

80.00 Set post Cor. to Sect. 19, 20, 29 & 30, from which  
a Beech 20 in. dia. bears S 10 N 4 lks. dist. &  
a Sugar 8 " " " N 65 E 14 " "  
Land level 2<sup>nd</sup> rate timber Beech, Oak, Elm,  
Ash &c. undergrowth Spice &c.

East On Prandon between Sect. 20 & 29

40.00 Set temp. of Sec. post.

81.34 Intersected the N. & S. line 41 lks. S. of post.  
Land 2<sup>nd</sup> rate timber Beech, Ash, Oak, &c.  
undergrowth Spice &c.

West Corrected between Sect. 20 & 29

20.00 a Beech 16 in. dia.

40.67 Set of Sec. post. at average dist. from which  
a Buckeye 6 in. dia. bears S N 4 lks. dist. &  
a W. 8 " " " N 15 E 12 " "

62.00 a B. Elm 16 " "

81.54 to Section Corner

North Between Sect. 19 & 20

22.50 a Sugar 12 in. dia.

40.00 Set of Sec. post. from which

349

*S 5 N R 9 E 2<sup>d</sup> Mer. Indiana*  
*Ch. 67*

a Sugar 14 in. dia. bears S 30 E 20 lbs. dist. 4  
 a Do. 20 " " " N 10 N 15 " "  
 55.00 a Sugar 30 " "  
 65.00 a Brook 10 lbs. wide course N.  
 80.00 Set post Cor. to Secs. 17, 18, 19 & 20, from which  
 a Sugar 24 in. dia. bears N 40 E 14 lbs. dist. 4  
 a Buckeye 10 " " " S 40 E 20 " "  
 Land uneven and good. Timber Sugar, Elm, Ash,  
 Buckeye undergrowth Spice -

East On Pradom between Secs. 17 & 20.  
 40.00 Set temp. f. of Sec. post  
 81.09 Intersected the N. & S. line 30 lbs. S. of post.  
 Land first 1/2 mile level 1<sup>st</sup> rate Land, last  
 half mile 2<sup>nd</sup> rate Timber Beech Ash, Oak,  
 Ash, Elm &c. undergrowth Spice &c.

West Connected between Secs. 17 & 20  
 24.00 a Sugar 10 in. dia.  
 40.54 Set f. of Sec. post, from which (at average dist.)  
 a W. Ash 9 in. dia. bears N 60 E 5 lbs. dist. 4  
 a Sugar 9 " " " South 35 " "  
 61.00 a Beech 14 " "  
 81.09 to Section Corner. August 13<sup>th</sup> 1820.

North Between Secs. 17 & 18  
 25.00 a Sugar 16 in. dia.  
 30.00 a Brook 10 lbs. wide course N.  
 40.00 Set. f. of Sec. post, from which  
 a Buckeye 9 in. dia. bears South 10 lbs. dist. 4  
 a Sugar 10 " " " N 35 E 35 " "  
 59.00 a Hackberry 9 " "  
 65.00 a Stream 150 lbs. wide Course S. N.  
 80.00 Set post Cor. to Secs. 17 & 18, from which  
 a Gum 10 in. dia. bears East 5 lbs. dist. 4  
 a Beech 10 " " " S 80 N 25 " "



# N 15 N - 1 E 9 E. 2<sup>nd</sup> Mer. Indiana

ch. lks

Land first rate timber Beech, Sug, Ash, Buckeye,  
Hackberry - undergrowth Spice -

East On Prandom between Sect. 8 & 17.  
20.00 a Stream 150 lks. wide course S. W.  
25.00 a Spring -  
40.00 Set temp. g. Sec. post.  
50.41 Intersected the N & S. line 8 lks. N. of post.  
Land Hilly 2<sup>nd</sup> rate timber Beech, Ash, Sugar,  
&c. undergrowth Spice &c.

West Corrected between Sect. 8 & 17  
23.00 a Beech 9 in. dia.  
40.20 Set g. Sec. post. at average dist. from which  
a Sugar 12 in. dia. bears N 15 E 12 lks. dist. &  
a Beech 3 " " " S 10 E 20 " "  
60.00 a Sycamore 20 " "  
80.41 to Section Corner

North Between Sect. 7 & 8.  
25.50 a Beech 8 in. dia.  
40.00 Set g. Sec. post. from which  
a Beech 10 in. dia. bears N 46 E 30 lks. dist. &  
a No. 15 " " " S 84 W 30 " "  
64.00 a Hickory 16 " "  
80.00 Set post Cor. to Sect. 5, 6, 7 & 8, from which  
a Beech 10 in. dia. bears N 35 E 25 lks. dist. &  
a No. 11 " " " S E 28 " "  
Land Hilly 2<sup>nd</sup> rate timber Beech, Ash, Oak,  
Sugar &c. undergrowth Spice

East On Prandom between Sect. 5 & 8  
30.00 a Brook 8 lks. wide course S.  
40.00 Set temp. g. Sec. post.  
30.32 Intersected the N. & S. line 83 lks. N. of post.  
Land wet timber, Ash, Oak, Beech, Sugar, &c.

351

St. Regis Co. 2<sup>nd</sup> Mer. Indiana  
 ch. lky  
 undergrowth Spice &c.

---

West Corrected between Secs. 5 & 8  
 15.00 a Sugar 12 in. dia.  
 40.16 Set of Sec. post. at average dist. from which  
 a Beech 18 in. dia. bears N 20 E 20 lks. dist. &  
 an Ironwood 3 " " " S 60 W 14 " "  
 61.00 a Hickory 10 " "  
 80.32 to Section Corner

---

North Between Secs. 5 & 6  
 19.00 a Beech 20 in. dia.  
 40.00 Set of Sec. post. from which  
 a Buckeye 10 in. dia. bears S 20 E 14 lks. dist. &  
 a Beech 8 " " " S 80 W 14 " "  
 60.50 a Sugar 12 " "  
 83.96 Intersected the N. boundary 96 lks. E. of post.  
 Set post. Cor. to Secs. 5 & 6, from which  
 a Beech 18 in. dia. bears West 3 lks. dist. &  
 a No. 14 " " " East 25 " "  
 Land Hilly 2<sup>nd</sup> rate timber Beech, Ash, Sugar, &c.  
 undergrowth Spice &c. August 14<sup>th</sup> 1820.

---

West Between Secs. 30 & 31.  
 19.00 a W. Ash 14 in. dia.  
 40.00 Set of Sec. post. from which  
 a Beech 10 in. dia. bears N 55 W 25 lks. dist. &  
 a No. 9 " " " S — E 22 " "  
 62.00 a W. Ash 11 " "  
 70.63 Intersected the W. boundary 92 lks. S. of post.  
 Set post. Cor. to Secs. 30 & 31, from which  
 an Ironwood 4 in. dia. bears N 70 E 18 lks. dist. &  
 a Beech 8 " " " S 25 E 20 " "  
 Land level 2<sup>nd</sup> rate timber. Beech Elm Ash &c.  
 undergrowth Spice &c.

---

T5 N R9 E. 2<sup>d</sup> Mer. Indiana

ch. lth  
West Between Secs. 19 & 30.

22.00 a Sugar 12 in. dia.

40.00 Set q. Sec. post. from which  
a Sugar 11 in. dia. bears N 50 E 15 lks. dist. &  
a W. Elm 24 " " " N 70 W 12 " "

59.00 a Sugar 18 " "

70.96 Intersected the W. boundary 93 lks. S. of post.

Set post Cor. to Secs. 19 & 30, from which  
an Ash 24 in. dia. bears N E 7 lks. dist. &  
a Beech 5 " " " South 16 " "

Land level first rate timber Beech, Ash, Sugar,  
&c. undergrowth Pawpaw, Spice &c.

West Between Secs. 18 & 19

18.50 a Sugar 16 in. dia.

40.00 Set q. Sec. post. from which  
a Hackberry 8 in. dia. bears N W 8 lks. dist. &  
a B. Ash 10 " " " N 20 E 20 " "

65.50 a Hackberry 16 " "

67.00 a Stream 150 lks. wide Course S. W.

71.71 Intersected the W. boundary 71 lks. S. of post.

Set post Cor. to Secs. 18 & 19, from which  
a Ironwood 8 in. dia. bears South 6 lks. dist. &  
a Do. 6 " " " N 60 W 12 " "

Land Hilly & good timber Beech B. Ash &c.  
undergrowth Spice &c.

West Between Secs. 7 & 18

27.00 a Cherry 20 in. dia.

40.00 Set q. Sec. post. from which  
a Beech 6 in. dia. bears West 4 lks. dist. &  
a Buckeye 3 " " " East 5 " "

51.50 a Stream 20 lks. wide Course S.

54.00 an Ash 24 in. dia.

71.55 Intersected the W. boundary 200 lks. S. of post.  
Set post Cor. to Secs. 7 & 18, from which

353  
T<sup>5</sup> N R 9 E 2<sup>nd</sup> Mer. Indiana  
ch. 1<sup>st</sup>

a Sugar 9 in. dia. bears East 6 lks. dist. 4  
a Do. 9 " " " N 60 W 9  
Land Hilly 2<sup>nd</sup> rate timber Beech, Ash, Sugar,  
Oak, Elm, — undergrowth Spice &c.

---

West Between Sect. 6 & 7

15.00 a Brook 20 lks. wide course S. W.

19.70 a Sugar 24 in. dia.

40.00 Set 9<sup>th</sup> Sec. post. from which  
a Beech 9 in. dia. bears S 30 W 8 lks. dist. 4  
a Do. 20 " " " N 60 W 15 " "

57.00 an Elm 48 "

73.00 Intersected the W. boundary 268 lks. S. of post.

Set post Cor. to Sect. 6 & 7, from which

a Beech 15 in. dia. bears S 60 E 15 lks. dist. 4

a Sugar 9 " " " N 20 " "

Land Hilly 2<sup>nd</sup> rate timber Same as last. run  
August 15<sup>th</sup> 1820.

Surveyed By A. Wallace,  
Deputy Surveyor

---

Comp.

I certify that the foregoing transcript of field notes of  
Township N: 15 North, Range N: 9 East 2<sup>nd</sup> Mer. Indiana,  
has been compared with the original notes in this Office,  
and found to be correct.

Surveyor General's Office  
Cincinnati, Nov. 8<sup>th</sup> 1842

William Johnston  
Sur. Genl.